ELSEVIER

International Journal of Mass Spectrometry 193 (1999) 241

Author index

Adou, E., 197
Alonso, A., 9
Armentrout, P.B., 227
Azuma, T., 123

Barnett, D.A., 45
Batka, J.J., Jr., 143
Beard, B.L., 87
Blanda, M., 197
Brodbelt, J.S., 197
Buchanan, M.V., 77

Cerda, B.A., 205
Chou, C.-W., 15
Cornett, L., 205

Damen, R., 1
De Bièvre, P., 1
De Bolle, W., 9
Dearden, D.V., 181
Dejsupa, C., 181
Ding, L., 45
Ding, T., 1
Dobrov, A.A., 131

Eiceman, G.A., 57
Ewing, R.G., 57

Fairley, D.A., 35
Fournier, F., 161
Freeman, C.G., 35
Fujii, Y., 29
Fujioka, T., 123

Gerbeleu, N.V., 131
Gidden, J., 143
Goolsby, B.J., 197
Guevremont, R., 45

Harrison, W.W., 101
He, F., 103
Hurst, G.B., 77

Johnson, C.M., 87

Kawai, Y., 29, 123
Kellersberger, K.A., 181
Kipphardt, H., 1
Kosmidis, C., 69

Leary, J.A., 153
Lebrilla, C.B., 103
Liang, Y., 181
Limbach, P.A., 15
Loo, J.A., 115

McEwan, M.J., 35
Mei, H.-Y., 115
Mele, A., L1
Milligan, D.B., 35

Nagesha, K., 77
Nemchinova, L.A., 131
Nomura, M., 29

Palii, S.P., 131
Perlat, M.C., 161
Pezzetta, D., L1
Philis, J.G., 69
Pinnaduwage, L.A., 77
Pope, R.M., 181
Powers, M.T., 143
Purves, R.W., 45

Ramirez, J., 103
Rathahao, E., 161
Richter, S., 9

Sannes-Lowery, K.A., 115
Sawada, M., 123
Selva, A., L1
Smith, D., 35
Smith, G., 153
Španěl, P., 35
Stone, J.A., 57
Suzuki, T., 29

Tabet, J.C., 161
Takai, Y., 123
Tanaka, T., 123
Taylor, P.D.P., 1, 9

Valkiers, S., 1

Wellum, R., 9
Wesdemiotis, C., 205
Williams, P., 15
Wyttenbach, T., 143

Yamada, H., 123
Yamaoka, H., 123

Zagorevskii, D.V., 131
Zhu, Y., 77

ELSEVIER

International Journal of Mass Spectrometry 193 (1999) 242–246

International Journal of Mass Spectrometry

Subject index

Abundance sensitivity
Isotopic ''fingerprints'' for natural uranium ore samples, 9
Alkali metal cations
Cation-ether complexes in the gas phase: thermodynamic insight into molecular recognition, 227
Alkali versus transition metal ion coordination of peptides
Probing the interaction of alkali and transition metal ions with bradykinin and its des-arginine derivatives via matrix-assisted laser desorption/ionization and postsource decay mass spectrometry, 205
Alkylbenzenes
Resonant laser mass spectrometry: fragmentation patterns from $^{13}C_1$ naturally labeled molecules, 69
Aminoglycoside antibiotic binding
Studying aminoglycoside antibiotic binding to HIV-1 TAR RNA by electrospray ionization mass spectrometry, 115
Ammonium
Gas phase studies of ammonium-cyclodextrin compounds: using Fourier transform ion cyclotron resonance, 181
Asymmetric
Proton-bound cluster ions in ion mobility spectrometry, 57

Binding selectivity
Determination of alkali metal ion binding selectivities of calixarenes by matrix-assisted laser desorption ionization and electrospray ionization in a quadrupole ion trap, 197
Bond energies
Cation-ether complexes in the gas phase: thermodynamic insight into molecular recognition, 227
Book review, 101

^{13}C
Resonant laser mass spectrometry: fragmentation patterns from $^{13}C_1$ naturally labeled molecules, 69
Calcium iodide
Calcium ion generation from calcium iodide by surface ionization in mass spectrometry, 29
Calixarene
Determination of alkali metal ion binding selectivities of calixarenes by matrix-assisted laser desorption ionization and electrospray ionization in a quadrupole ion trap, 197
Charge tags
Matrix influence on the formation of positively charged oligonucleotides in matrix-assisted laser desorption/ionization mass spectrometry, 15
Charge transfer
Competitive association and charge transfer in the reactions of NO^+ with some ketones: a selected ion flow drift tube study, 35
Chemical ionization (CI)
Stereochemical effects enhanced by using selective ''self-ionization'' under electron ionization conditions in a quadrupole ion trap mass spectrometer, 161
Chiral recognition
Determination of enantiomeric excess for organic primary amine compounds by chiral recognition fast-atom bombardment mass spectrometry, 123
Collision-induced dissociation
Cation-ether complexes in the gas phase: thermodynamic insight into molecular recognition, 227
Collision induced dissociation (CID)
Evidence for enzymatic activity in the absence of solvent in gas-phase complexes of lysozyme and oligosaccharides, 103
Coordination compounds
Mass spectrometry of coordination compounds of transition metals with tetradentate ligands. 11. Isomeric quasi-macrocyclic Ni(II) complexes based on S-substituted isothiocarbohydrazides and the structure of ''small'' ions derived from them, 131
Crown-ether
Ionspray ionization and tandem mass spectrometry of Li^+ or NH_4^+ coordinated 1:1 γ-cyclodextrin/12-crown-4-ether double macrocyclic inclusion complex, L1
Crown ethers
Cation-ether complexes in the gas phase: thermodynamic insight into molecular recognition, 227

Cyclodextrin
Gas phase studies of ammonium-cyclodextrin compounds: using Fourier transform ion cyclotron resonance, 181
Ionspray ionization and tandem mass spectrometry of Li^+ or NH_4^+ coordinated 1:1 γ-cyclodextrin/12-crown-4-ether double macrocyclic inclusion complex, L1

Dissociation
Calcium ion generation from calcium iodide by surface ionization in mass spectrometry, 29
Double inclusion
Ionspray ionization and tandem mass spectrometry of Li^+ or NH_4^+ coordinated 1:1 γ-cyclodextrin/12-crown-4-ether double macrocyclic inclusion complex, L1
Double spike
Correction of instrumentally produced mass fractionation during isotopic analysis of Fe by thermal ionization mass spectrometry, 87
Drift tube
Competitive association and charge transfer in the reactions of NO^+ with some ketones: a selected ion flow drift tube study, 35

Electron attachment
Laser-enhanced negative ion mass spectroscopy for weakly electron-attaching species, 77
Electron impact (EI)
Stereochemical effects enhanced by using selective ''self-ionization'' under electron ionization conditions in a quadrupole ion trap mass spectrometer, 161
Electrospray ionization
Determination of alkali metal ion binding selectivities of calixarenes by matrix-assisted laser desorption ionization and electrospray ionization in a quadrupole ion trap, 197
Synthesis and analysis of electrospray ionization-generated five-coordinate diastereomeric Ni-N-glycoside complexes using a quadrupole ion trap mass spectrometer, 153
Electrospray ionization mass spectrometry (ESI-MS)
Studying aminoglycoside antibiotic binding to HIV-1 TAR RNA by electrospray ionization mass spectrometry, 115
Enantiomeric excess
Determination of enantiomeric excess for organic primary amine compounds by chiral recognition fast-atom bombardment mass spectrometry, 123
Enzyme
Evidence for enzymatic activity in the absence of solvent in gas-phase complexes of lysozyme and oligosaccharides, 103
Equilibrium
Gas phase studies of ammonium-cyclodextrin compounds: using Fourier transform ion cyclotron resonance, 181

Fast-atom bombardment (FAB) mass spectrometry
Determination of enantiomeric excess for organic primary amine compounds by chiral recognition fast-atom bombardment mass spectrometry, 123
Fe
Correction of instrumentally produced mass fractionation during isotopic analysis of Fe by thermal ionization mass spectrometry, 87

Gas isotope mass spectrometry
A primary isotopic gas standard for sulfur in the form of SF_6 with Système International d'Unités traceable values for isotopic composition and molar mass, 1
Gas phase
Evidence for enzymatic activity in the absence of solvent in gas-phase complexes of lysozyme and oligosaccharides, 103
Gas-phase organometallic dications
Mass spectrometry of coordination compounds of transition metals with tetradentate ligands. 11. Isomeric quasi-macrocyclic Ni(II) complexes based on S-substituted isothiocarbohydrazides and the structure of ''small'' ions derived from them, 131

H/D exchange
Gas phase studies of ammonium-cyclodextrin compounds: using Fourier transform ion cyclotron resonance, 181
High-field asymmetric waveform ion mobility spectrometer (FAIMS)
Ion trapping at atmospheric pressure (760 Torr) and room temperature with a high-field asymmetric waveform ion mobility spectrometer, 45
HIV
Studying aminoglycoside antibiotic binding to HIV-1 TAR RNA by electrospray ionization mass spectrometry, 115
Host/guest
Host/guest conformations of biological systems: valinomycin/alkali ions, 143
Host-guest complex
Ionspray ionization and tandem mass spectrometry of Li^+ or NH_4^+ coordinated 1:1 γ-cyclodextrin/12-crown-4-ether double macrocyclic inclusion complex, L1
Host-guest complexation
Determination of enantiomeric excess for organic primary amine compounds by chiral recognition fast-atom bombardment mass spectrometry, 123

Inclusion complex
Gas phase studies of ammonium-cyclodextrin compounds: using Fourier transform ion cyclotron resonance, 181
Ion chromatography
Host/guest conformations of biological systems: valinomycin/alkali ions, 143
Ionization efficiency
Matrix influence on the formation of positively charged oligonucleotides in matrix-assisted laser desorption/ionization mass spectrometry, 15
Ion mobility
Host/guest conformations of biological systems: valinomycin/alkali ions, 143
Ion trapping at atmospheric pressure (760 Torr) and room temperature with a high-field asymmetric waveform ion mobility spectrometer, 45
Ion mobility spectrometry
Proton-bound cluster ions in ion mobility spectrometry, 57
Ion/molecule association
Competitive association and charge transfer in the reactions of NO^+ with some ketones: a selected ion flow drift tube study, 35
Ionspray
Ionspray ionization and tandem mass spectrometry of Li^+ or NH_4^+ coordinated 1:1 γ-cyclodextrin/12-crown-4-ether double macrocyclic inclusion complex, L1
Ion transport
Host/guest conformations of biological systems: valinomycin/alkali ions, 143
Ion trap
Ion trapping at atmospheric pressure (760 Torr) and room temperature with a high-field asymmetric waveform ion mobility spectrometer, 45
Isomer recognition
Mass spectrometry of coordination compounds of transition metals with tetradentate ligands. 11. Isomeric quasi-macrocyclic Ni(II) complexes based on S-substituted isothiocarbohydrazides and the structure of ''small'' ions derived from them, 131
Isotope
Correction of instrumentally produced mass fractionation during isotopic analysis of Fe by thermal ionization mass spectrometry, 87
Isotope abundance ratio
A primary isotopic gas standard for sulfur in the form of SF_6 with Système International d'Unités traceable values for isotopic composition and molar mass, 1
Isotope analysis
Calcium ion generation from calcium iodide by surface ionization in mass spectrometry, 29
Isotope labeling
Determination of enantiomeric excess for organic primary amine compounds by chiral recognition fast-atom bombardment mass spectrometry, 123
Isotopic composition
A primary isotopic gas standard for sulfur in the form of SF_6 with Système International d'Unités traceable values for isotopic composition and molar mass, 1
IUPAC table
Isotopic ''fingerprints'' for natural uranium ore samples, 9

Laser
Laser-enhanced negative ion mass spectroscopy for weakly electron-attaching species, 77
Laser mass spectrometry
Resonant laser mass spectrometry: fragmentation patterns from $^{13}C_1$ naturally labeled molecules, 69
Lysozyme
Evidence for enzymatic activity in the absence of solvent in gas-phase complexes of lysozyme and oligosaccharides, 103

Mass spectrometry
Calcium ion generation from calcium iodide by surface ionization in mass spectrometry, 29
Correction of instrumentally produced mass fractionation during isotopic analysis of Fe by thermal ionization mass spectrometry, 87
Laser-enhanced negative ion mass spectroscopy for weakly electron-attaching species, 77
Matrix-assisted laser desorption ionization (MALDI)
Determination of alkali metal ion binding selectivities of calixarenes by matrix-assisted laser desorption ionization and electrospray ionization in a quadrupole ion trap, 197
Matrix-assisted laser desorption/ionization (MALDI)
Matrix influence on the formation of positively charged oligonucleotides in matrix-assisted laser desorption/ionization mass spectrometry, 15
Metalated bradykinins
Probing the interaction of alkali and transition metal ions with bradykinin and its des-arginine derivatives via matrix-assisted laser desorption/ionization and postsource decay mass spectrometry, 205
Metal ion attachment sites
Probing the interaction of alkali and transition metal ions with bradykinin and its des-arginine derivatives via matrix-assisted laser desorption/ionization and postsource decay mass spectrometry, 205
Molar mass
A primary isotopic gas standard for sulfur in the form of SF_6 with Système International d'Unités traceable values for isotopic composition and molar mass, 1

Monosaccharide
Synthesis and analysis of electrospray ionization-generated five-coordinate diastereomeric Ni-N-glycoside complexes using a quadrupole ion trap mass spectrometer, 153

Natural isotopic mixture
Resonant laser mass spectrometry: fragmentation patterns from $^{13}C_1$ naturally labeled molecules, 69
Natural uranium
Isotopic "fingerprints" for natural uranium ore samples, 9
Negative ions
Laser-enhanced negative ion mass spectroscopy for weakly electron-attaching species, 77

Polythymidylic acid
Matrix influence on the formation of positively charged oligonucleotides in matrix-assisted laser desorption/ionization mass spectrometry, 15
Postsource decay
Probing the interaction of alkali and transition metal ions with bradykinin and its des-arginine derivatives via matrix-assisted laser desorption/ionization and postsource decay mass spectrometry, 205
Primary isotopic gas standard
A primary isotopic gas standard for sulfur in the form of SF_6 with Système International d'Unités traceable values for isotopic composition and molar mass, 1
Proton affinity
Matrix influence on the formation of positively charged oligonucleotides in matrix-assisted laser desorption/ionization mass spectrometry, 15
Proton-bound dimer
Proton-bound cluster ions in ion mobility spectrometry, 57

Quadrupole ion trap
Determination of alkali metal ion binding selectivities of calixarenes by matrix-assisted laser desorption ionization and electrospray ionization in a quadrupole ion trap, 197
Stereochemical effects enhanced by using selective "self-ionization" under electron ionization conditions in a quadrupole ion trap mass spectrometer, 161
Synthesis and analysis of electrospray ionization-generated five-coordinate diastereomeric Ni-N-glycoside complexes using a quadrupole ion trap mass spectrometer, 153

Resonance-enhanced multiphoton ionization (REMPI)
Resonant laser mass spectrometry: fragmentation patterns from $^{13}C_1$ naturally labeled molecules, 69
RNA
Studying aminoglycoside antibiotic binding to HIV-1 TAR RNA by electrospray ionization mass spectrometry, 115
Rydberg states
Laser-enhanced negative ion–mass spectroscopy for weakly electron-attaching species, 77

Salt bridges
Probing the interaction of alkali and transition metal ions with bradykinin and its des-arginine derivatives via matrix-assisted laser desorption/ionization and postsource decay mass spectrometry, 205
Selected ion flow drift tube (SIFT)
Competitive association and charge transfer in the reactions of NO^+ with some ketones: a selected ion flow drift tube study, 35
Stereochemistry
Stereochemical effects enhanced by using selective "self-ionization" under electron ionization conditions in a quadrupole ion trap mass spectrometer, 161
Synthesis and analysis of electrospray ionization-generated five-coordinate diastereomeric Ni-N-glycoside complexes using a quadrupole ion trap mass spectrometer, 153
Sulfur
A primary isotopic gas standard for sulfur in the form of SF_6 with Système International d'Unités traceable values for isotopic composition and molar mass, 1
Surface ionization
Calcium ion generation from calcium iodide by surface ionization in mass spectrometry, 29
Synthetic isotope mixtures
A primary isotopic gas standard for sulfur in the form of SF_6 with Système International d'Unités traceable values for isotopic composition and molar mass, 1
Système International d'Unités (SI)
A primary isotopic gas standard for sulfur in the form of SF_6 with Système International d'Unités traceable values for isotopic composition and molar mass, 1

Tandem mass spectrometry
Ionspray ionization and tandem mass spectrometry of Li^+ or NH_4^+ coordinated 1:1 γ-cyclodextrin/12-crown-4-ether double macrocyclic inclusion complex, L1
Mass spectrometry of coordination compounds of transition metals with tetradentate ligands. 11. Isomeric quasi-macrocyclic Ni(II) complexes based on S-substituted

isothiocarbohydrazides and the structure of ''small'' ions derived from them, 131

TAR
Studying aminoglycoside antibiotic binding to HIV-1 TAR RNA by electrospray ionization mass spectrometry, 115

Tertiary structure
Host/guest conformations of biological systems: valinomycin/alkali ions, 143

Tetradentate quasimacrocyclic ligands
Mass spectrometry of coordination compounds of transition metals with tetradentate ligands. 11. Isomeric quasimacrocyclic Ni(II) complexes based on S-substituted isothiocarbohydrazides and the structure of ''small'' ions derived from them, 131

Thermal ionization
Correction of instrumentally produced mass fractionation during isotopic analysis of Fe by thermal ionization mass spectrometry, 87

Traceability
A primary isotopic gas standard for sulfur in the form of SF_6 with Système International d'Unités traceable values for isotopic composition and molar mass, 1

Transition metal
Synthesis and analysis of electrospray ionization-generated five-coordinate diastereomeric Ni-N-glycoside complexes using a quadrupole ion trap mass spectrometer, 153

Valinomycin
Host/guest conformations of biological systems: valinomycin/alkali ions, 143